

**VictorBilt<sup>®</sup>**

*Dealers Supply & Lumber Company, LLC*


*105 Airport Road, PO Box 5025, Greenville, SC 29606*

*DOOR MACHINING  
SPECIFICATIONS*

*9-7-2011*


# INTERIOR MACHINING WOOD—6/8

2-1/8" Bore at 2-3/8" Backset  
3.5" x 3.5" Hinges—5/8" Radius




# INTERIOR MACHINING WOOD—7/0

2-1/8" Bore at 2-3/8" Backset  
3.5" x 3.5" Hinges—5/8" Radius




# INTERIOR MACHINING WOOD—8/0

2-1/8" Bore at 2-3/8" Backset  
3.5" x 3.5" Hinges—5/8" Radius



# EXTERIOR MACHINING WOOD—6/8

2-1/8" Bore at 2-3/8" Backset  
Deadbolt at 5-1/2" OC  
4" x 4" Hinges—5/8" Radius




# EXTERIOR MACHINING WOOD—7/0

2-1/8" Bore at 2-3/8" Backset

Deadbolt at 5-1/2" OC

4" x 4" Hinges—5/8" Radius




# EXTERIOR MACHINING WOOD—8/0

2-1/8" Bore at 2-3/8" Backset


Deadbolt at 5-1/2" OC

4" x 4" Hinges—5/8" Radius



# EXTERIOR MACHINING STEEL-FG—6/8

2-1/8" Bore at 2-3/8" Backset  
Deadbolt at 5-1/2" OC  
4" x 4" Hinges—5/8" Radius





# EXTERIOR MACHINING STEEL-FG—8/0

2-1/8" Bore at 2-3/8" Backset

Deadbolt at 5-1/2" OC

4" x 4" Hinges—5/8" Radius

